



Impact Drill

## EasyImpact 550

Effortless and comfortable precision drilling in several materials

[Go to product](#)



### Key product features

- Keyless twin-sleeve chuck for fast and easy bit changes
- Bosch Electronic Speed Control for trigger-enabled control of speed when drilling
- Light at 1.5 kg, compact, and ergonomic for comfortable handling
- Effortless drilling in masonry up to 10 mm and wood up to 25 mm

### Other product advantages

### Comes complete with

- Auxiliary handle (2 609 256 D93)
- Depth stop (2 603 001 019)
- Plastic case

**Part number:** 0603130070

**EAN code:** 3165140840668



Impact Drill

## EasyImpact 550

### Technical data

---

Power input: 550 W

Output power, max.: 370 W

Rated torque: 1,2 Nm

Stall torque in accordance with EN 60745: 11 Nm

No-load speed: 50 – 3.000 rpm

Impact rate: 33.000 bpm

Machine weight: 1,5 kg

#### Drilling range

Max. drilling diameter in concrete: 10 mm

Max. drilling diameter in steel: 8 mm

Max. drilling diameter in wood: 25 mm

### Noise / vibration information

---

Measured values determined according to EN 60745.

Total vibration values (vector sum of three directions).

#### Drilling in metal

Vibration emission value ah: 7.5 m/s<sup>2</sup>

Uncertainty K: 1.5 m/s<sup>2</sup>

#### Impact drilling in concrete

Vibration emission value ah: 32.0 m/s<sup>2</sup>

Uncertainty K: 4.0 m/s<sup>2</sup>

#### Screwdriving

Vibration emission value ah: 2.5 m/s<sup>2</sup>

Uncertainty K: 1.5 m/s<sup>2</sup>

The A-rated noise level of the power tool is typically as follows: Sound pressure level 96 dB(A); Sound power level 107 dB(A). Uncertainty K= 3 dB.

### Functions

---



**Power input**

550 watts



**Keyless chuck**

Tool-free drill bit changes



**Bosch Electronic**

Speed control using the trigger switch

## Functions

---

Keyless chuck

2.5 m cable

Right-hand/left-hand rotation

Bosch Electronic

Softgrip

Application: screwdriving / drill. / impact drill.