



Lithium-ion Cordless Two-Speed Drill/Driver

**PSR 18 LI-2**

The most handy and convenient tool in its class

[Go to product](#)



## Key product features

- The most handy in its class thanks to lithium-ion technology
- Innovative, electronic “Bosch PowerControl” torque preselection with integrated gear change – optimum power for every application
- Syneon Chip – Intelligently controlled energy for every project
- High-performance battery and quick chargers for all DIY and garden tools in the Power for ALL 18 volt system
- 2-speed high-performance planetary gears: Superior lifetime, best power transfer, high running smoothness
- No memory effect, no self-discharge: always ready for use thanks to lithium-ion technology
- Bosch Electronic speed control: “Accelerate” from 0 - max. using the trigger switch
- Particularly long life of the replaceable lithium-ion battery packs due to Bosch Electronic Cell Protection (ECP)
- Keyless chuck with Bosch Auto-Lock for the fastest and easiest tool changes
- PowerLight – thanks to the built-in LED, your workpiece is always well lit and clearly visible
- Intelligent 3-stage charge level indicator
- One battery fits all – suitable for all DIY and garden tools in the Power for ALL lithium-ion cordless systems

## Other product advantages

### Comes complete with

- 1 battery pack PBA 18V 2.5Ah W-B
- Double screwdriver bit
- Charger AL 1830 CV
- Plastic case

**Part number:** 0603973343

**EAN code:** 3165140865067



---

Lithium-ion Cordless Two-Speed Drill/Driver

## **PSR 18 LI-2**

### **Technical data**

---

**Battery voltage: 18 V**

**Battery capacity: 2,5 Ah**

**No-load speed (1st gear / 2nd gear): 0 – 400 / 1.340 rpm**

**Max. torque: 46 Nm**

**Max. torque for soft/hard screw. applications: 25 / 46 Nm**

**Torque settings: 10**

**Drill chuck: 10-mm keyless chuck**

**Machine weight with battery: 1,3 kg**

#### **Screw diameter**

**Screw diameter up to: 10 mm**

#### **Drilling diameter**

**Drilling diameter in steel: 10 mm**

**Drilling diameter in wood: 35 mm**

### **Noise / vibration information**

---

Measured values determined according to EN 60745.

Total vibration values (vector sum of three directions).

#### **Drilling in metal**

**Vibration emission value ah: 2.5 m/s<sup>2</sup>**

**Uncertainty K: 1.5 m/s<sup>2</sup>**

#### **Screwdriving**

**Vibration emission value ah: 2.5 m/s<sup>2</sup>**

**Uncertainty K: 1.5 m/s<sup>2</sup>**

The A-rated noise level of the power tool is typically as follows: Sound pressure level 76 dB(A); Sound power level 87 dB(A). Uncertainty K= 3 dB.

### **Functions**

---





### **Battery voltage**

18 volts



### **Compact design**

Compact design, low weight



### **Battery runtime**

Screwdriving performance with one battery charge



### **Area of application**

Screwdriving / drilling



### **Bosch PowerControl**

10 pre-selectable electronic torque settings



### **Quick charger**

Ready for use after 40 minutes with a charge of 80%

## **Functions**

---

18 Volt

Lithium-ion technology

Bosch Electronic Cell Protection (ECP)

Bosch Auto-Lock

2-speed gearbox

Application: screwdriving / drilling

Softgrip

Integrated work light

Bosch Electronic

Right-hand/left-hand rotation

Charge level indicator

Forward/reverse indicator



**BOSCH**

Invented for life

---